

## MATERIAL SAFETY DATA SHEET

### S-OIL SEVEN GOLD #9 PAO C3 5W-30

Date of the previous version: 2019-06-19

Revision Date: 2019-06-19

Version 1

#### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

##### 1.1. Product identifier

<b>Product name</b>	<b>S-OIL SEVEN GOLD #9 PAO C3 5W-30</b>
<b>Pure substance/mixture</b>	Mixture

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

<b>Recommended Use</b>	Gasoline & Diesel Engine Oil
------------------------	------------------------------

##### 1.3. Details of the supplier of the safety data sheet

<b>Supplier</b>	S-OIL CORPORATION 192, Baekbeom-ro, Mapo-gu, Seoul 04196, Korea
-----------------	---

##### For further information, please contact:

<b>Contact Point</b>	HSSEQ
<b>E-mail Address</b>	dolyoo@s-oil-total.com

##### 1.4. Emergency telephone number

<b>Korea</b>	<b>+ 82 2 3772-5655</b>
--------------	-------------------------

#### 2. HAZARDS IDENTIFICATION

##### 2.1. Classification of the substance or mixture

**GHS Classification**

##### 2.2. Label elements

##### **GHS label elements, including precautionary statements**

<b>Symbol(s)</b>	Not Classified
------------------	----------------

<b>Signal Words</b>	Not Classified
---------------------	----------------

##### 2.3. GHS Hazard Statements

Not Classified

##### 2.4. GHS Precautionary Statements

<b>Prevention</b>	Not Classified
-------------------	----------------

<b>Response</b>	Not Classified
-----------------	----------------

<b>Storage</b>	Not Classified
----------------	----------------

<b>Disposal</b>	Not Classified
-----------------	----------------

## MATERIAL SAFETY DATA SHEET

### S-OIL SEVEN GOLD #9 PAO C3 5W-30

Date of the previous version: 2019-06-19

Revision Date: 2019-06-19

Version 1

#### 2.5. Other hazards

**Physical-Chemical Properties** Contaminated surfaces will be extremely slippery.

**Environmental properties** Should not be released into the environment

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1. Mixture

Chemical Name	CAS-No	EC-No	Weight %
Severely Hydrotreated Heavy Paraffinic Distillate	64742-54-7	-	> 75.0
1-Dodecane, trimer, Hydrogenated	68037-01-4	-	5.0 ~ 10.0
Mixed Performance Additive	Mixture	-	10.0~15.0
Viscosity Modifier Additive	Mixture	-	5.0~9.0
Polymer, Esters of methacrylic acid and Mixed long chain alcohols	Mixture	-	0.01~0.5
Polymerized dimethyl silicone fluid	Mixture	-	0.01~0.2

**Additional information** Product containing mineral oil with less than 3% DMSO extract as measured by IP 346

### 4. FIRST AID MEASURES

#### 4.1. Description of first-aid measures

**General advice** IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.

**Eye contact** Rinse thoroughly with plenty of water, also under the eyelids.

**Skin contact** Remove contaminated clothing and shoes. Wash skin with soap and water. Wash contaminated clothing before reuse. High pressure jets may cause skin damage. In this case, the casualty should be sent immediately to hospital.

**Inhalation** Move to fresh air.

**Ingestion** Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

**Eye contact** Not classified.

**Skin contact** Not classified. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent.

**Inhalation** Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.

**Ingestion** Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

#### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

## MATERIAL SAFETY DATA SHEET

### S-OIL SEVEN GOLD #9 PAO C3 5W-30

Date of the previous version: 2019-06-19

Revision Date: 2019-06-19

Version 1

**Notes to physician** Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

##### 5.1. Extinguishing media

**Suitable extinguishing media** CO2, dry chemical, dry sand, alcohol-resistant foam.

**Unsuitable extinguishing media** No information available

##### 5.2. Special hazards arising from the substance or mixture

**Special Hazard** Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration.

##### 5.3. Advice for fire-fighters

**Special protective equipment for fire-fighters** Wear self-contained breathing apparatus and protective suit.

**Other information** Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

#### 6. ACCIDENTAL RELEASE MEASURES

##### 6.1. Personal precautions, protective equipment and emergency procedures

**General Information** Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery.  
Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.

##### 6.2. Environmental precautions

**General Information** Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses.  
Local authorities should be advised if significant spillages cannot be contained.

##### 6.3. Methods and material for containment and cleaning up

**Methods for containment** Dam up. Contain spillage, and then collect with non-combustible absorbent material, (e.g.sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Keep in suitable, closed containers for disposal.

##### 6.4. Reference to other sections

**Personal Protective Equipment** See Section 8 for more detail.

**Waste treatment** See section 13.

#### 7. HANDLING AND STORAGE

##### 7.1. Precautions for safe handling

## MATERIAL SAFETY DATA SHEET

### S-OIL SEVEN GOLD #9 PAO C3 5W-30

Date of the previous version: 2019-06-19

Revision Date: 2019-06-19

Version 1

<b>Advice on safe handling</b>	When using, do not eat, drink or smoke. For personal protection see section 8. Use only in well-ventilated areas. Do not breathe vapors or spray mist. Avoid contact with skin, eyes and clothing.
<b>Prevention of fire and explosion</b>	Take precautionary measures against static discharges. Ground/bond containers, tanks and transfer/receiving equipment.
<b>Hygiene measures</b>	Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.

7.2. Conditions for safe storage, including any incompatibilities

<b>Technical measures/Storage conditions</b>	Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep container tightly closed. Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Protect from frost, heat and sunlight. Protect from moisture.
<b>Materials to Avoid</b>	Strong oxidizing agents.

7.3. Specific end uses

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

8.1. Control parameters

<b>Exposure limits</b>	oil mist : 10mg/m <sup>3</sup> , for 15 minutes; oil mist : 5mg/m <sup>3</sup> , for 8 hours
<b>Legend</b>	See section 16.

8.2. Exposure controls

**Occupational Exposure Controls**

<b>Engineering Measures</b>	Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.
-----------------------------	--

**Personal Protective Equipment**

<b>General Information</b>	If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.
<b>Respiratory protection</b>	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN 14387). The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses.
<b>Eye Protection</b>	If splashes are likely to occur, wear: Safety glasses with side-shields.
<b>Skin and body protection</b>	Wear suitable protective clothing. Protective shoes or boots. Long sleeved clothing.

## MATERIAL SAFETY DATA SHEET

### S-OIL SEVEN GOLD #9 PAO C3 5W-30

Date of the previous version: 2019-06-19

Revision Date: 2019-06-19

Version 1

**Hand Protection**

Hydrocarbon-proof gloves. Fluorinated rubber. Nitrile rubber. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves.

**Environmental exposure controls**

**General Information**

The product should not be allowed to enter drains, water courses or the soil.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

9.1. Information on basic physical and chemical properties

<b>Color</b>		Yellow to amber	
<b>Physical State @20°C</b>		liquid	
<b>Odor</b>		Characteristic	
<b><u>Property</u></b>	<b><u>Values</u></b>	<b><u>Remarks</u></b>	<b><u>Method</u></b>
<b>pH</b>		Not applicable	
<b>Boiling point/boiling range</b>		Not applicable	
<b>Flash point</b>	<b>228 °C</b> 442 °F		Cleveland Open Cup (COC) Cleveland Open Cup (COC)
<b>Evaporation rate</b>		No information available	
<b>Flammability Limits in Air</b>		No information available	
<b>Vapor Pressure</b>		No information available	
<b>Vapor density</b>		No information available	
<b>Density</b>	851 kg/m <sup>3</sup>	@ 15 °C	
<b>Water solubility</b>	Negligible	Insoluble	
<b>Solubility in other solvents</b>		No information available	
<b>logPow</b>		No information available	
<b>Autoignition temperature</b>	Not applicable		
<b>Viscosity, kinematic</b>	12.30 mm <sup>2</sup> /s 71.50 mm <sup>2</sup> /s	@ 100 °C @ 40 °C	
<b>Explosive properties</b>	Not explosive		
<b>Oxidizing Properties</b>	Not applicable		
<b>Possibility of hazardous reactions</b>	Not applicable		

9.2. Other information

**10. STABILITY AND REACTIVITY**

10.1. Reactivity

**General Information**

No information available.

10.2. Chemical stability

**Stability.**

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

**Hazardous Reactions**

None under normal processing.

10.4. Conditions to Avoid

## MATERIAL SAFETY DATA SHEET

### S-OIL SEVEN GOLD #9 PAO C3 5W-30

Date of the previous version: 2019-06-19

Revision Date: 2019-06-19

Version 1

**Conditions to Avoid** Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.

10.5. Incompatible Materials

**Materials to Avoid** Strong oxidizing agents.

10.6. Hazardous Decomposition Products

**Hazardous Decomposition Product** None under normal use.

<b>11. TOXICOLOGICAL INFORMATION</b>
--------------------------------------

11.1. Information on toxicological effects

**Acute toxicity Local effects Product Information**

**Skin contact** . Not classified. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent.  
 . LD50 > 2000mg/kg (Rabbit, Dermal), Practically non-toxic.

**Eye contact** . Not classified.

**Inhalation** . Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.

**Ingestion** . LD50 > 5000mg/kg (Rat, Oral), Practically non-toxic.

**Acute toxicity - Component Information**

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Severely Hydrotreated Heavy Paraffinic Distillate	LD50 > 5000mg/kg(Rat)	LD50 > 5000mg/kg(Rabbit)	-
1-Dodecene, homopolymer, Hydrogenated	LD50 > 5000mg/kg	LD50 > 2000mg/kg(Rat)	LC50 > 5.2mg/L (4hr, mist/dust, Rat)
Polymer, Esters of methacrylic acid and Mixed long chain alcohols	LD50 > 2000mg/kg(Rat)	LD50 > 2000mg/kg(Rabbit)	-

**Sensitization**

**Sensitization** Not classified as a sensitizer.

**Specific effects**

**Carcinogenicity** This product is not classified carcinogenic.  
**Mutagenicity** This product is not classified as mutagenic.  
**Reproductive toxicity** This product does not present any known or suspected reproductive hazards.

**Repeated Dose Toxicity**

**Subchronic toxicity** No information available.

**Target Organ Effects (STOT)**

**Target Organ Effects (STOT)** No information available.

Chemical Name	Target Organ Effects

## MATERIAL SAFETY DATA SHEET

### S-OIL SEVEN GOLD #9 PAO C3 5W-30

Date of the previous version: 2019-06-19

Revision Date: 2019-06-19

Version 1

1-Dodecene, homopolymer, Hydrogenated	NOEL: 6,245mg/kg (OECD Test Guideline 407) Species: rat / Application Route: Oral / Dose: 0, 8000, 20000, 50000ppm / Exposure time: 28 day / Number of exposures: daily NOEL: 4,159.4mg/kg(OECD Guideline 408) Species: rat / Application Route: oral gavage / Dose: 0, 1000, 7000, 50000ppm Exposure time: 13 weeks / Number of exposures: daily
---------------------------------------	--

**Other information**

**Other adverse effects** Characteristic skin lesions (pimples) may develop following prolonged and repeated exposures (contact with contaminated clothing).

12. ECOLOGICAL INFORMATION
----------------------------

12.1. Toxicity

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates	Toxicity to fish
Severely Hydrotreated Heavy Paraffinic Distillate	EL50 > 100mg/L (48hr, Pseudokirchnerella subcapitata - OECD 201)	EL50 > 10000mg/L (48hr, Daphnia magna - OECD 202)	LL50 > 100mg (96hr, Oncorhynchus mykiss - OECD 203)
1-Dodecene, homopolymer, Hydrogenated	EL50 > 1000mg/L (96hr, Selenastrum capricornutum)	EL50 > 1000mg/L (48hr, Daphnia magna - OECD 202)	LC50 > 750mg/L (96hr, Pimephales promelas)

**Effects on terrestrial organisms** No information available.

12.2. Persistence and degradability

**General Information**  
No information available.

12.3. Bioaccumulative potential

**Product Information** No information available.  
**logPow** No information available  
**Component Information** No information available.

12.4. Mobility in soil

**Soil** Given its physical and chemical characteristics, the product generally shows low soil mobility.  
**Air** Loss by evaporation is limited.  
**Water** Insoluble. The product spreads on the surface of the water.

12.5. Results of PBT and vPvB assessment

**PBT and vPvB assessment** No information available.

12.6. Other adverse effects

**General Information** No information available

13. DISPOSAL CONSIDERATIONS
-----------------------------

**MATERIAL SAFETY DATA SHEET****S-OIL SEVEN GOLD #9 PAO C3 5W-30**

Date of the previous version: 2019-06-19

Revision Date: 2019-06-19

Version 1

13.1. Waste treatment methods**Waste from Residues / Unused Products**

Should not be released into the environment. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

**Contaminated packaging**

Empty containers should be taken to an approved waste handling site for recycling or disposal.

**EWC Waste Disposal No.**

The following Waste Codes are only suggestions: 13 01 10. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

**14. TRANSPORT INFORMATION**ADR/RID

Not regulated

IMDG/IMO

Not regulated

ICAO/IATA

Not regulated

ADN

Not regulated

**15. REGULATORY INFORMATION**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

**EINECS/ELINCS****TSCA****KECL**Legend**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory**KECL** - Korean Existing and Evaluated Chemical Substances

Further information

15.2. Chemical Safety Assessment**Chemical Safety Assessment**

No information available

**16. OTHER INFORMATION****Abbreviations, acronyms**

Legend Section 8

+

Sensitizer

\*

Skin designation

\*\*

Hazard Designation

C:

Carcinogen

M:

Mutagen

R:

Toxic to reproduction



## MATERIAL SAFETY DATA SHEET

---

### S-OIL SEVEN GOLD #9 PAO C3 5W-30

Date of the previous version: 2019-06-19

Revision Date: 2019-06-19

Version 1

---

Revision Date: 2019-06-19  
Revision Note: \*\*\* Indicates updated section.

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The

information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the safety data sheet