

S-OIL SEVEN RED #9 SP 0W-16

Date of the previous version: 2020-04-27

Revision Date: 2020-04-27

Version 1

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

| Product name | S-OIL SEVEN RED #9 SP 0W-16 |
|------------------------|-----------------------------|
| Pure substance/mixture | Mixture |

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use

Engine oil.

1.3. Details of the supplier of the safety data sheet

Manufacturer S-OIL CORPORATION 192, Baekbeom-ro, Mapo-gu, Seoul 04196, Korea

For further information, please contact:

| Contact Point | HSSEQ |
|----------------|------------------------|
| E-mail Address | dolyoo@s-oil-total.com |

1.4. Emergency telephone number

Korea

+82 2 3772 5655

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

GHS Classification

Not classified as hazardous

2.2. Label elements

GHS label elements, including precautionary statements

| Symbol(s) | Not Classified |
|-----------|----------------|
|-----------|----------------|

Signal Words Not Classified

2.3. hazards Statement

Not classified

2.4. Precautionary Statements

| Prevention | Not Classified |
|------------|----------------|
| Response | Not Classified |
| Storage | Not Classified |
| Disposal | Not Classified |



S-OIL SEVEN RED #9 SP 0W-16

Date of the previous version: 2020-04-27

Revision Date: 2020-04-27

Version 1

2.5. Other hazards

Physical-Chemical Properties Contaminated surfaces will be extremely slippery.

Environmental properties Should not be released into the environment.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Mixture

| Chemical Name | CAS-No | EC-No | Weight % |
|--------------------------------------------------------|------------|-----------|-------------|
| Distillates (petroleum), hydrotreated heavy paraffinic | 64742-54-7 | 265-157-1 | 82.0 ~ 91.0 |
| Mixed performance additive | Mixture | - | 6.0 ~ 11.0 |
| Viscosity index improver | Mixture | - | 3.0 ~ 7.0 |

Additional information

Product containing mineral oil with less than 3% DMSO extract as measured by IP 346

4. FIRST AID MEASURES

| N CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE. Rinse thoroughly with plenty of water, also under the eyelids. Remove contaminated clothing and shoes. Wash skin with soap and water. Vash contaminated clothing before reuse. High pressure jets may cause skin damage. In this case, the casualty should be ent immediately to hospital. Nove to fresh air. | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Remove contaminated clothing and shoes. Wash skin with soap and water. Vash contaminated clothing before reuse. High pressure jets may cause skin damage. In this case, the casualty should be ent immediately to hospital. Move to fresh air. | |
| Vash contaminated clothing before reuse. High pressure jets may cause skin damage. In this case, the casualty should be ent immediately to hospital. <i>N</i> ove to fresh air. | |
| | |
| NOT induce veniting Never give epything by mouth to an unconscious | |
| Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately. | |
| nd effects, both acute and delayed | |
| lot classified. | |
| Not classified. High pressure injection of the products under the skin may have ery serious consequences even though no symptom or injury may be pparent. | |
| | |
| lot classified. Inhalation of vapors in high concentration may cause irritation of espiratory system. | |
| | |

<u>necessary</u>

Notes to physician Treat symptomatically.



S-OIL SEVEN RED #9 SP 0W-16

Date of the previous version: 2020-04-27

Revision Date: 2020-04-27

Version 1

5. FIRE-FIGHTING MEASURES

| 5.1. Extinguishing media | | |
|----------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Suitable extinguishing media | Carbon dioxide (CO 2). ABC powder. Foam. Water spray or fog. | |
| Unsuitable extinguishing media | Do not use a solid water stream as it may scatter and spread fire. | |
| 5.2. Special hazards arising from | om the substance or mixture | |
| Special Hazard | Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These maybe highly dangerous if inhaled in confined spaces or at high concentration. | |
| 5.3. Advice for fire-fighters | | |
| Special protective equipment for fire- fighters | Wear self-contained breathing apparatus and protective suit. | |
| Other information | Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. | |

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

General InformationDo not touch or walk through spilled material. Contaminated surfaces will be
extremely slippery. Use personal protective equipment. Ensure adequate
ventilation. Remove all sources of ignition.

6.2. Environmental precautions

| General Information | Do not allow material to contaminate ground water system. Try to prevent the mater or water courses. Local authorities should be advised if significant spillages cannot | |
|-----------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| 6.3. Methods and material for containment and cleaning up | | |
| Methods for containment | Dam up. Contain spillage, and then collect with non-combustible absorbent material, (e.g.sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal. | |
| 6.4. Reference to other sections | | |
| Personal Protective Equipment | See Section 8 for more detail. | |
| Waste treatment | See section 13. | |
| 7. HANDLING AND STORAGE | | |

7.1. Precautions for safe handling

| Advice on safe handling | When using, do not eat, drink or smoke. For personal protection see section 8. Use only in well-ventilated areas. Do not breathe vapors or spray mist. Avoid |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | contact with skin, eyes and clothing. |



S-OIL SEVEN RED #9 SP 0W-16

| Date of the previous version: 2020 | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Prevention of fire and explosion | Take precautionary measures against static discharges. Ground/bond containers, tanks and transfer/receiving equipment. |
| Hygiene measures | Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets. |
| 7.2. Conditions for safe s | torage, including any incompatibilities |
| Technical measures/Storage conditions | Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep container tightly closed. Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Protect from frost, heat and sunlight. Protect from moisture. |
| Materials to Avoid | Strong oxidizing agents. |
| 7.3. Specific end uses | |
| | |
| | PERSONAL PROTECTION |
| | PERSONAL PROTECTION |
| 8. EXPOSURE CONTROLS | Mineral oil mist: USA: OSHA (PEL) TWA 5 mg/m ³ , NIOSH (REL) TWA 5 mg/m ³ , STEL 10 mg/m ³ , ACGIH (TLV) TWA 5 mg/m ³ (highly refined) |
| 8. EXPOSURE CONTROLS 8.1. Control parameters Exposure limits | Mineral oil mist: USA: OSHA (PEL) TWA 5 mg/m³, NIOSH (REL) TWA 5 mg/m³, STEL 10 mg/m³, ACGIH |
| 8. EXPOSURE CONTROLS 8.1. Control parameters Exposure limits Legend | Mineral oil mist: USA: OSHA (PEL) TWA 5 mg/m ³ , NIOSH (REL) TWA 5 mg/m ³ , STEL 10 mg/m ³ , ACGIH (TLV) TWA 5 mg/m ³ (highly refined) |
| 8. EXPOSURE CONTROLS 8.1. Control parameters Exposure limits Legend | Mineral oil mist: USA: OSHA (PEL) TWA 5 mg/m ³ , NIOSH (REL) TWA 5 mg/m ³ , STEL 10 mg/m ³ , ACGIH (TLV) TWA 5 mg/m ³ (highly refined) See section 16. |
| 8. EXPOSURE CONTROLS 8.1. Control parameters Exposure limits Legend 8.2. Exposure controls | Mineral oil mist: USA: OSHA (PEL) TWA 5 mg/m ³ , NIOSH (REL) TWA 5 mg/m ³ , STEL 10 mg/m ³ , ACGIH (TLV) TWA 5 mg/m ³ (highly refined) See section 16. |
| 8. EXPOSURE CONTROLS 8.1. Control parameters Exposure limits Legend 8.2. Exposure controls Occupational Exposure Controls Engineering Measures | Mineral oil mist: USA: OSHA (PEL) TWA 5 mg/m ³ , NIOSH (REL) TWA 5 mg/m ³ , STEL 10 mg/m ³ , ACGIH (TLV) TWA 5 mg/m ³ (highly refined) See section 16. Apply technical measures to comply with the occupational exposure limits. When working is confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for |
| 8. EXPOSURE CONTROLS 8.1. Control parameters Exposure limits Legend 8.2. Exposure controls Occupational Exposure Controls Engineering Measures | Mineral oil mist: USA: OSHA (PEL) TWA 5 mg/m ³ , NIOSH (REL) TWA 5 mg/m ³ , STEL 10 mg/m ³ , ACGIH (TLV) TWA 5 mg/m ³ (highly refined) See section 16. Apply technical measures to comply with the occupational exposure limits. When working is confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for |
| 8. EXPOSURE CONTROLS 8.1. Control parameters Exposure limits Legend 8.2. Exposure controls Occupational Exposure Controls Engineering Measures Personal Protective Equipment | Mineral oil mist: USA: OSHA (PEL) TWA 5 mg/m ³ , NIOSH (REL) TWA 5 mg/m ³ , STEL 10 mg/m ³ , ACGIH (TLV) TWA 5 mg/m ³ (highly refined) See section 16. Apply technical measures to comply with the occupational exposure limits. When working i confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment. If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as |
| 8. EXPOSURE CONTROLS 8.1. Control parameters Exposure limits Legend 8.2. Exposure controls Occupational Exposure Controls Engineering Measures Personal Protective Equipment General Information | Mineral oil mist: USA: OSHA (PEL) TWA 5 mg/m ³ , NIOSH (REL) TWA 5 mg/m ³ , STEL 10 mg/m ³ , ACGIH (TLV) TWA 5 mg/m ³ (highly refined) See section 16. Apply technical measures to comply with the occupational exposure limits. When working is confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment. If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied. None under normal use conditions. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN 14387). The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their |

Version GHS



S-OIL SEVEN RED #9 SP 0W-16

Date of the previous version: 2020-04-27

Revision Date: 2020-04-27

Version 1

Hand Protection Hydrocarbon-proof gloves. Fluorinated rubber. Nitrile rubber. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves.

Environmental exposure controls

General Information

The product should not be allowed to enter drains, water courses or the soil.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

| Color Physical State @20°C Odor | | Amber Liquid Characteristic | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| Property pH | <u>Values</u> | Remarks Not applicable | Method |
| Boiling point/boiling range Flash point Evaporation rate Flammability Limits in Air Vapor Pressure Vapor density Density Water solubility Solubility in other solvents logPow Autoignition temperature Viscosity, kinematic Explosive properties | 228 °C 856.2 kg/m ³ 58.19 mm ² /s Not explosive | Not applicable No information available No information available No information available @ 15 °C Insoluble No information available No information available No information available @ 40 °C | Cleveland Open Cup (COC) |
| Oxidizing Properties Possibility of hazardous reactions | Not applicable Not applicable | | |

9.2. Other information

10. STABILITY AND REACTIVITY

10.1. Reactivity

General Information

No information available.

10.2. Chemical stability

Stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous Reactions

None under normal processing.

10.4. Conditions to Avoid

Conditions to Avoid

Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.)



S-OIL SEVEN RED #9 SP 0W-16

Date of the previous version: 2020-04-27

Revision Date: 2020-04-27

Version 1

10.5. Incompatible Materials

Materials to Avoid Strong oxidizing agents.

10.6. Hazardous Decomposition Products

Hazardous Decomposition Product None under normal use.

11. TOXICOLOGICAL INFORMATION

<u>11.1. Information on toxicological effects</u>

Acute toxicity Local effects Product Information

| Skin contact | . Not classified. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent. |
|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Eye contact | . Not classified. |
| Inhalation | . Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system |
| Ingestion | . Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. |

Acute toxicity- Component Information

| Acute toxicity- component in | | | |
|--------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------|----------------------------------------------------|
| Chemical name | Oral | Dermal | Inhalation |
| Distillates (petroleum), hydrotreated heavy paraffinic | LD50 > 5000 mg/kg bw (rat – OECD 420) | LD50 > 5000 mg/kg bw (rabbit – OECD 402) | LC50 > 5 mg/l (4h, aerosol) (rat – OECD 403) |
| Skin corrosion/irritation | Not classified. | | |
| <u>Serious eye damage/eye</u> <u>irritation</u> | Not classified. | | |
| <u>Sensitization</u> | | | |
| Sensitization | Not classified as sensitization. | | |
| Specific effects | | | |
| Carcinogenicity Mutagenicity Reproductive toxicity | This product is not classified carcinogenic. This product is not classified as mutagenic. This product does not present any known or suspected reproductive hazards. | | |
| Repeated Dose Toxicity | | | |
| Subchronic toxicity | No information available. | | |
| Target Organ Effects (STOT) | | | |
| Target Organ Effects (STOT) | No information available. | | |
| Other information | | | |
| Other adverse effects | Characteristic skin lesions exposures (contact with c | s (pimples) may develop followin ontaminated clothing). | g prolonged and repeated |



S-OIL SEVEN RED #9 SP 0W-16

Date of the previous version: 2020-04-27

Revision Date: 2020-04-27

Version 1

Aspiration hazard

Not classified as aspiration hazard

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Not classified.

Acute aquatic toxicity - Component Information

| Chemical name | Toxicity algae | Toxicity to daphnia and other aquatic invertebrates | Toxicity to fish |
|--------------------------|--------------------------|--------------------------------------------------------|---------------------------|
| Distillates (petroleum), | EL50 > 100 mg/l | EL50 > 10000 mg/l | LL50 > 100 mg/l |
| hydrotreated heavy | (48h, Pseudokirchnerella | (48h, Daphnia magna – | (96h, Oncorhynchus mykiss |
| paraffinic | subcapitata – OECD 201) | OECD 202) | – OECD 203) |

Chronic aquatic toxicity - Component Information

| Chemical name | Toxicity algae | Toxicity to daphnia and other aquatic invertebrates | Toxicity to fish |
|--------------------------|----------------|-----------------------------------------------------|---------------------------|
| Distillates (petroleum), | | NOEL 10 mg/l | LL50 > 100 mg/l |
| hydrotreated heavy | | (48h, Daphnia magna – | (96h, Oncorhynchus mykiss |
| paraffinic | | OECD 202) | – OECD 203) |

Effects on terrestrial organisms

No information available.

General Information

No information available.

12.2. Persistence and degradability

General Information

| Persistence | No information available. | |
|---------------|---------------------------|--|
| degradability | No information available. | |

12.3. Bioaccumulative potential

| Product Information | No information available. | |
|---------------------|---------------------------|--|
| logPow | No information available. | |

12.4. Mobility in soil

| Soil | Given its physical and chemical characteristics, the product generally shows low soil |
|------|---------------------------------------------------------------------------------------|
| | mobility. |

Air Loss by evaporation is limited.

Water Insoluble. The product spreads on the surface of the water.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

12.6. Other adverse effects



S-OIL SEVEN RED #9 SP 0W-16

Date of the previous version: 2020-04-27

Revision Date: 2020-04-27

Version 1

General Information

No information available

13. DISPOSAL CONSIDERATIONS

| <u>13.1. Waste treatment methods</u> | | |
|------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Waste from Residues / Unused Products | Should not be released into the environment. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. | |
| Contaminated packaging | Empty containers should be taken to an approved waste handling site for recycling or disposal. | |
| EWC Waste Disposal No. | The following Waste Codes are only suggestions:. 13 01 10. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used. | |

14. TRANSPORT INFORMATION

| ADR/RID | Not regulated |
|-----------|---------------|
| IMDG/IMO | Not regulated |
| ICAO/IATA | Not regulated |
| ADN | Not regulated |

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Further information

15.2. Chemical Safety Assessment

Chemical Safety Assessment No information available

16. OTHER INFORMATION

Full text of R-phrases referred to under sections 2 and 3 No information available

Abbreviations, acronyms

| Legend Section 8 | | | |
|------------------|--------------------|----|-----------------------|
| + | Sensitizer | * | Skin designation |
| ** | Hazard Designation | C: | Carcinogen |
| M: | Mutagen | R: | Toxic to reproduction |
| | | | |

Revision Date:

2020-04-27



S-OIL SEVEN RED #9 SP 0W-16

Date of the previous version: 2020-04-27

Revision Date: 2020-04-27

Version 1

Revision Note

*** Indicates updated section.

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by theuser that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the safety data sheet