

Certificate of Analysis

PRODUCT : S-OIL 7 MTF FX 75W-85W-EX (200)

CERT. NO. : 20250801-0044

D A T E : 2025/08/01

CUSTOMER : S-OIL (주) 온산공장

TANK No. : IBT-05


DATE SAMPLED : 2024/12/18

LOT No. : 244252

TEST ITEMS	UNIT	TEST METHOD	RESULTS
Color		ASTM D 1500	L1.0
Density, 15℃	g/cm ³	ASTM D 4052	0.8729
Viscosity, 40℃	cSt	ASTM D 445	68.61
Viscosity, 100℃	cSt	ASTM D 445	12.15
Viscosity Index		ASTM D 2270	176
Flash Point, COC	℃	ASTM D 92	228
Pour Point	℃	ASTM D 97	-42
Foaming Test Tendency/Stability, Sequence 1	ml	ASTM D 892	10/0
Foaming Test Tendency/Stability, Sequence 2	ml	ASTM D 892	10/0
Foaming Test Tendency/Stability, Sequence 3	ml	ASTM D 892	10/0

I CERTIFY THE ABOVE TEST RESULTS ARE TRUE AND CORRECT.

Chief Chemist
JB.Shin



S-OIL TotalEnergies Lubricants Co., Ltd.

Head Office : 16F, HSBC Building, 37, Chilpae-ro, Jung-gu, Seoul, Korea Tel.+82 2 6320 2000 Fax. +82 2 6320 2100
Plant : 436, Dangwol-ro, Onsan-eup, Ulju-gun, Ulsan, Korea Tel.+82 52 240 3133 Fax. +82 52 240 3134